



राज्य शहरी विकास अभिकरण, छत्तीसगढ़

डी-ब्लॉक, चतुर्थ तल, इन्द्रावती भवन, नवा रायपुर जटल नगर-492002

फोन नं. 0771-2222401; E-mail- osd.suda@yahoo.com

File No.: PROJ-204/147/2026-SUDA (T M P F) SECTION / 358398-1

प्रति,

1. आयुक्त,
संबंधित नगर पालिक निगम (छ.ग.),
(सूची संलग्न)
2. मुख्य नगर पालिका अधिकारी,
संबंधित नगर पालिका परिषद/नगर पंचायत (छ.ग.),
(सूची संलग्न)

महत्वपूर्ण

विषय :- स्वच्छ भारत मिशन-शहरी 2.0 अन्तर्गत आकांक्षीय शौचालय (यूरिनल सहित) (Aspirational Toilets with Urinals) हेतु प्रस्ताव प्रेषित किये जाने के संबंध में।

संदर्भ :- भारत सरकार, आवासन और शहरी कार्य मंत्रालय का पत्र क्र. F.No. 1/11/2022-SBM-I-Partfile-1 (E-9183758) दिनांक 12.05.20256

—000—

उपरोक्त विषयान्तर्गत संदर्भित पत्र के माध्यम से भारत सरकार, आवासन और शहरी कार्य मंत्रालय द्वारा स्वच्छ भारत मिशन-शहरी 2.0 के CSWAP (Toilets) घटक अन्तर्गत आपके द्वारा प्रेषित आकांक्षीय शौचालयों (यूरिनल सहित) के कार्य-योजना (Action Plan) की स्वीकृति प्रदान की गई है। (सूची संलग्न) chaturpost.com

उपरोक्तानुसार आपके निकाय अन्तर्गत कार्य-योजना में स्वीकृत आकांक्षीय शौचालयों (यूरिनल सहित) हेतु डीपीआर/प्रस्ताव में निम्नानुसार घटकों को सम्मिलित करते हुए अधोहस्ताक्षरकर्ता कार्यालय को प्रेषित किये जाने का कष्ट करें :-

1. नगरीय निकायों द्वारा प्रत्येक स्थल में विनिर्दिष्ट विशेषताओं एवं कार्यस्थल की आवश्यकताओं के अनुरूप निर्धारित वित्तीय सीमा में प्राक्कलन तैयार कर सक्षम प्राधिकारी से तकनीकी स्वीकृति प्राप्त करते हुए डीपीआर/प्रस्ताव के साथ संलग्न कर प्रेषित किये जावेंगे।
2. भारत सरकार द्वारा आकांक्षीय शौचालयों (यूरिनल सहित) हेतु प्रति इकाई लागत राशि रु. 28.20 लाख (10 सीटर हेतु) एवं राशि रु. 16.92 लाख (6 सीटर हेतु) की अधिकतम वित्तीय सीमा निर्धारित की गई है।
3. आकांक्षीय शौचालयों (यूरिनल सहित) हेतु डीपीआर/प्रस्ताव, स्वच्छ भारत मिशन-शहरी 2.0 अन्तर्गत जारी प्रचालन दिशा-निर्देशों (Operational Guidelines, 2021) के Annex-9 में उल्लेखित समस्त घटकों को अनिवार्यतः सम्मिलित करते हुए तैयार किये जावेंगे।
4. उपरोक्त प्रस्ताव तैयार करने के दौरान निकाय द्वारा यह सुनिश्चित किया जावे कि, उपरोक्त प्रस्ताव में स्वच्छ सर्वेक्षण एवं ODF+/ODF++ हेतु आवश्यक प्रावधानों को सम्मिलित किया गया है।
5. आकांक्षीय शौचालयों (यूरिनल सहित) हेतु डीपीआर/प्रस्ताव में स्वच्छ भारत मिशन-शहरी 2.0 अन्तर्गत जारी प्रचालन दिशा-निर्देशों (Operational Guidelines, 2021) की कड़िका क्र. 5.2.7.3 अनुसार 05 वर्षों का संचालन एवं संभारण (O&M) प्रस्ताव अनिवार्यतः सम्मिलित किया जावे।

// 2 //

6. प्रत्येक आकाक्षीय शौचालय (यूरिनल सहित) में Bathroom एवं Basin से निकलने वाले उपयोगित जल को उपचारित कर उसका पुनर्उपयोग शौचालयों के फलशिंग हेतु किया जावे। इस हेतु समस्त आवश्यक प्रावधान प्राक्कलन में सम्मिलित किये जावेगे।

उपरोक्तानुसार घटकों को सम्मिलित करते हुए आकाक्षीय शौचालयों (यूरिनल सहित) हेतु प्रस्ताव तैयार कर अधोहस्ताक्षरकर्ता कार्यालय में प्रेषित करने का कष्ट करें।

नोट :- आकाक्षीय शौचालयों (यूरिनल सहित) के निर्माण हेतु टाईप-1 (10 सीटर) एवं टाईप-2 (6 सीटर) के 04 ड्राईंग, डिजाईन, चलचित्र (Walkthrough Video) एवं यात्रिकी प्रकोष्ठ द्वारा अनुमोदित आदर्श प्राक्कलन सुलभ संदर्भ हेतु संलग्न कर प्रेषित किये जा रहे हैं। आदर्श प्राक्कलन को केवल मार्गदर्शन एवं परिचायक हेतु प्रेषित किया जा रहा है, निकायों द्वारा स्थल के अनुरूप पृथक से प्राक्कलन/ड्राईंग तैयार कर सक्षम प्राधिकारी से तकनीकी स्वीकृति प्राप्त किया जावेगा। chaturpost.com

संलग्न :- उपरोक्तानुसार।

Digitally signed by
Shashank Pandey

मुख्य कार्यपालक अधिकारी
Date: 26-09-2026
सह मिशन डायरेक्टर (SBM-U 2.0)
14:55:08
राज्य शहरी विकास अभिकरण,
नवा रायपुर अटल नगर

ED File No.: PROJ-204/147/2026-SUDA (T M P F) SECTION / 358398-2

प्रतिलिपि :-

1. सचिव, छ.ग. शासन, नगरीय प्रशासन एवं विकास विभाग, मंत्रालय, नवा रायपुर अटल नगर (छ.ग.)।
2. समस्त संयुक्त संचालक, क्षेत्रीय कार्यालय, नगरीय प्रशासन एवं विकास (छ.ग.)
3. टीम लीडर, पीएमयू, एसबीएम-यू 2.0 की ओर आवश्यक कार्यवाही हेतु।
4. प्रोग्रामर, डाटा सेंटर, संचालनालय, न.प्र.वि. की ओर वेबसाईट में अपलोड करने हेतु।

स्वच्छ भारत मिशन-शहरी 2.0

भारत सरकार द्वारा CSWAP (Toilets) अन्तर्गत
स्वीकृत कार्ययोजना अनुसार आकांक्षीय शौचालयों की सूची

क्र.	निकाय का नाम	शौचालय ब्लॉक की संख्या	शौचालय सीट की संख्या	मूत्रालयों की संख्या
1	2	3	4	5
1	अंबिकापुर	1	6	6
		1	6	6
		1	10	10
		1	10	10
2	भिलाई	1	6	6
3	बीरगांव	1	10	10
4	दुर्ग	1	6	6
5	राजनांदगांव	1	10	10
		1	10	10
		1	10	10
6	रिसाली	1	6	6
7	बेमेतरा	1	6	6
		1	10	10
8	जशपुरनगर	1	6	6
		1	10	10
9	तमनार	1	10	10
10	बडीकरेली	1	6	6
11	सक्ती	1	6	6
		1	6	6
12	सारंगढ	1	6	6
		1	10	10
13	बांकी मोंगरा	1	10	10
14	गौरेला	1	6	6
		1	10	10
15	डोंगरगढ	1	10	10
16	बम्हनीडीह	1	10	10
17	बरेला	1	10	10
18	भटगांव (सारंगढ)	1	6	6
		1	6	6
19	भिभौरी	1	10	10
20	विश्रामपुर	1	6	6

क्र.	निकाय का नाम	शौचालय ब्लॉक की संख्या	शौचालय सीट की संख्या	मूत्रालयों की संख्या
1	2	3	4	5
21	चिखलाकसा	1	6	6
22	डभरा	1	6	6
		1	10	10
23	दाढी	1	10	10
24	देवमोग	1	6	6
		1	10	10
25	गीदम	1	10	10
26	धुमका	1	10	10
27	इंदौरी	1	10	10
28	जनकपुर	1	10	10
29	जरहागांव	1	10	10
30	कोपरा	1	10	10
31	कुसमी (बलरामपुर)	1	6	6
32	कुसमी (बेनेतरा)	1	10	10
33	लखनपुर	chaturpost.com	6	6
34	लालबहादुर नगर	1	10	10
35	मरवाही	1	10	10
36	नरियरा	1	10	10
37	पलारी (बालोद)	1	10	10
38	पामगढ़	1	10	10
39	परपोड़ी	1	6	6
40	पटना	1	10	10
41	पवनी	1	10	10
42	रोहांसी	1	10	10
		1	10	10
43	सहसपुरलोहारा	1	10	10
44	सरसीवा	1	10	10
45	शिवनंदनपुर	1	10	10
योग		59	506	506



5.2 Community Toilets (CTs)/ Public Toilets (PTs) & urinals

5.2.1 Target Group

While CT/ PTs and Urinals have been constructed under SBM-U, it is expected that there will still be some households which are at considerable distances from the nearest CT. Higher influx of floating population is also expected in Urban areas. Hence, additional number of CTs, PTs and Urinals will be targeted for construction under SBM-U 2.0 for better accessibility and functionality, even if ULB is at least ODF+ certified. In this context, it may be noted that ULBs should prioritise IHHL access for all households, and only in cases of land constraints should CTs be provided, with seats earmarked for selected families so that they the families feel a sense of ownership and maintain them as their own.

5.2.2 Location of CTs, PTs, Urinals

5.2.2.1 ULBs will need to identify all possible Open Defecation/ Open Urination vulnerable points (yellow spots) ("OD/ OU hot spots") and make provisions for adequate numbers of CTs/ PTs and Urinals at easily accessible distances, which in turn will lead to elimination of hotspots.

5.2.2.2 ULBs should ensure that:

- i. every household dependent on CTs has access to one within a maximum

distance of 500 metres from their homes, and

- ii. every public place (bus stops, petrol pumps, metro stations, market places, religious and tourist locations, health centres, citizen centres) has at least one PT/ Urinal available within 500 metre distance, and that the facilities are kept clean, functional and open for public use.

5.2.3 Aspirational toilets

ULBs will have to provide additional **PTs in all tourist destinations/ places with high footfall/ iconic cities/ religious destinations, etc.** It is suggested that these additional PTs be made in "aspirational category", with the following indicative features:

- a) Walls and floors are clean and stain / graffiti free
- b) Low height toilets/Indian toilets and basins for children
- c) Plants / shrubs in the vicinity of toilet complex are well maintained
- d) Space earmarked for advertisement for revenue generation
- e) Hand dryer / paper napkin available
- f) Ladies' toilets have vending machine for sanitary napkins
- g) Incinerator facility available for disposal of used sanitary napkins for toilet having > 10 seats



h) Toilet identification number, name of ULB under which jurisdiction toilet is covered, ward number and maintenance authority prominently displayed for each toilet block

i) SMS based feedback with number displayed on which SMS has to be sent

Annex 9 details out all the features that are required for a toilet to be as “aspirational toilet”.

5.2.4 Central assistance as per the norms outlined in paragraphs 5.2.5.2 & 5.2.5.3 below will be provided for such PTs. ULBs will be required to indicate the additional footfall expected at these tourist locations while preparing the DPRs for fund release.

5.2.5 Construction & Design

5.2.5.1 Care should be taken to ensure that all CT/ PT/ Urinals being constructed under SBM-U 2.0 are built in tandem with water supply arrangements of the ULB. These facilities should also have adequate provision for separate toilets & bathing facilities for men, women, transgenders, and the disabled, as provided in the ODF+ protocol.

5.2.5.2 CT/ PT blocks will consist of a given number of toilet seats (as per requirements), toilet superstructure

including the pan and water closet, and a substructure (either an on-site treatment system, or a connection to underground sewerage system) shared by all the toilet seats along with facilities for hand wash.

5.2.5.3 The norms for connection of the superstructure to an on-site system or connection to an underground sewerage system as defined in paragraph 5.1.3 above will apply here.

5.2.6 Operation & Maintenance

There should be a digital system for capturing user feedback on a regular basis, multiple times per day, for each CT/ PT, with each feedback tagged to a unique user ID. Additionally, the Swachhata App may be used to provide feedback/register complaints regarding poorly maintained or non-functional CT/ PTs.

5.2.7 Fund Release Mechanism for CT/ PT/ Urinals (as mentioned in section 4.5.4)

5.2.7.1 Central government funds for the construction of CT/ PT seats & Urinals will be in the following form:

- 90% for ULBs in NE/ Himalayan States,
- 100% for UTs without legislature,
- 80% for UTs with legislature,
- 25% for 10 lakh plus ULBs,



- 33% for ULBs with 1 lakh to 10 lakh population (both included),
- 50% for ULBs with less than 1 lakh population

5.2.7.2 The unit cost of CTs/ PTs will be calculated at ₹1,50,000 per seat, and at ₹2,50,000 per seat for aspirational PTs, while base unit cost of Urinals will be calculated at ₹32,000 per seat wherein the VGF/ Grant will be as per the proportions given in paragraph 5.2.5.1 above. ULBs may also provide mobile toilets or eco-friendly toilets for use as CT/ PTs.

5.2.7.3 The **1st instalment** of 40% of allotted Central share from MoHUA will be released to the State/ UT provided the entry conditions specified in Section 4.2, and following additional conditions are satisfied:

- City Sanitation Action plans (CSAP) Part 1 (approved by SLTC) along with gap analysis;
- ULB to upload their latest progress data on the MIS portal
- declaration from Municipal Commissioner/ EO of ULB that all existing CTs/ PTs & Urinals in the ULB are fully functional, with provision for water;
- SLTC approved & complete proposals for a city (based on gap analysis), along with O&M plans for at least 5 years for maintaining functionality of CT/ PTs;

- ULB has provided for encumbrance free land for construction of the CT/ PT complexes and Urinals.

5.2.7.4 The **2nd instalment** of 60% of allotted Central share from MoHUA will be released to the State/ UT for a ULB provided the following conditions are satisfied:

- Documentary evidence of 30% completion of construction target;
- UC for 75% of first instalment fund released;
- State has expended 75% of its allotted share;
- City has been certified as ODF+ (or above) at least once.

5.3 Expected Outcome

It is envisaged that at the end of the Mission, all ULBs will become ODF+.



ANNEX 9: FEATURES OF ASPIRATIONAL TOILETS

(As referred in Chapter 5)

Features of aspirational toilets
All toilet seats and urinals clean and usable at all times
Wash basin(s) clean and usable at all times
Availability of water
Adequate ventilation facility (vents, slanted glass slats and/or exhaust fan)
Premises are well lit at all times, both within and outside, with each seat having its own light point, and all light points functional
Functional bolting arrangements on all doors
Untreated faecal sludge/septage and sewage from the toilet is not discharged and/or dumped in drains, open areas or water bodies
Toilet floor is swept and mopped at all times
Mirrors, if available, are clean and polished
Available and regularly cleaned (covered) litter bins, with bins available with each toilet seat
Available and operational soap/soap dispenser
Usable taps and fittings, with no leakage OR water tank in or outside the structure with water available in it at all times during opening hours
Gender-segregated, distinct entrances for males and females, if both facilities available in single block
Entrance/ accessibility (like ramp, stairs) to toilet block is barrier free, including those for specially abled persons
Premises are visible to passersby, with clear signage, and the area within 3m from each direction of the structure is not encroached by unauthorized construction and vendors
Staff is provided with necessary supplies of consumables, cleaning equipment, protective gear and inventory, and there is no stock out for longer than 24 hours
Roster being maintained for regular cleaning and maintenance and a caretaker is on duty at all times during open hours
Public/Community Toilet is visible on Google Maps toilet locator as 'SBM Toilet'
Name and contact details of the following are displayed prominently - Supervisor, Supervisor's agency and area Sanitary Inspector(Contact number will be checked whether it is working or not)



Complaint registration and redressal mechanism (Swachhata App, Swachhata helpline 1969) is in place and is functional, with all complaints, maintenance issues or incidents resolved within 24 hours of registration
Air freshener applied
Walls and floors are clean and stain / graffiti free
Low height toilets/Indian toilets and basins for children
Plants / shrubs in the vicinity of toilet complex are well maintained
Space earmarked for advertisement for revenue generation
Hand dryer / paper napkin available
Ladies' toilets have vending machine for sanitary napkins
Incinerator facility available for disposal of used sanitary napkins for toilet having > 10 seats and also to the toilets adjacent to women college and hostels
Toilet identification number, name of ULB under which jurisdiction toilet is covered, ward number and maintenance authority prominently displayed for each toilet block
SMS based feedback with number displayed on which SMS has to be sent
Bathing facility available